


APPROVED	O G FIG 1	
BY	CLASS	SUBCLASS
DRAFTSMAN	364	131



EXTERNAL SERVICE/ACCESS CONTROL MODULE

APPROVED	O.G. FIG	CLASS	SUBCLASS
	BY		
DRAFTSMAN			



APPROVED	OG FIG	CLASS	SUBCLASS
BY			
DRAFTSMAN			





Fig. 2B




O.G. FIG.	
APPROVED BY	CLASS
DRAFTSMAN	SUBCLASS

100

Fig. 2C



APPROVED	OG FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	



APPROVED	OG FIG	
BY	CLASS	SURCLASS
DRAFTSMAN		




Fig. 5




Fig. 6




Fig. 7

+

202,304/88 : u/e
.in to stand: 70 not available
10-2N-PI-282PI9 : 014 to stand
admitted to stand : 400000 10-2N-PI-282PI9
282PI9-002-510

APPROVED BY	O G FIG	
	CLASS	SUBCLASS
DRAFTSMAN		




Fig. 8

+

১৭১০ - ১৭১১ - ১৭১২

REMOTE
(INTERNAL MODEM)




Fig. 9

+

500 100 150 : 012
 100 100 150 : 012
 100 100 150 : 012
 100 100 150 : 012
 100 100 150 : 012

APPROVED	OG FIG.	CLASS	SUBCLASS
BY			
DRAFTSMAN			

LOCAL RS485




Fig. 10

+